




# **Sales Order Multi-Pick Confirmation**



#### **RFgen Software**

1101 Investment Boulevard, Suite 250 El Dorado Hills, CA 95762 888-426-3472

1





#### **License Agreement**

All information contained in this document is the intellectual property of RFgen Software, a division of the DataMAX Software Group, Inc. This document may not be published, nor used without the prior written consent of RFgen Software. Use of the RFgen Software Open Source code is at all times subject to the DataMAX Software Group Open Source Licensing Agreement, which must be accepted at the time the source code is installed on your computer system. For your convenience, a text copy of the DataMAX Software Group Open Source Source Licensing Agreement is also loaded (and may be printed from) your RFgen-based system.

#### **Requirements**

- RFgen Version 5.0 or later
- RFgen JD Edwards Integration Suite









### **Table of Contents**


SALES ORDER MULTI-PICK CONFIRMATION	1
FSOPC0200 - SO MULTI-PICK CONFIRMATION	3
✓ VALIDATIONS	4
✓ Edits	4
HINCTION KEYS	4
CONSIDERATIONS	4
ENTERPRISEONE PROGRAMS – REFERENCE	
ENTERPRISEONE SALES ORDER: P4201	6
ENTERPRISEONE CARDEX:P4111	7
How JDEdwards® Processing Option Affects RFgen	8
AFFECTED RFGEN FORMS AND TRANSACTION MACROS	8
SETUP AN RFGEN MENU	8
PROCESSING OPTIONS: P4205 PICK CONFIRMATION	
BASIC TEST SCRIPT	
TEST SCRIPT DESCRIPTION: XXX	
RFGEN INPUT REQUIREMENTS	
JD Edwards Processing Option Settings	
Execution Procedures	
OVERALL TEST CASE RESULTS	







### FSOPC0200 – SO Multi-Pick Confirmation



This transaction identifies the items on Sales Orders at Pick status, displays the items for the user to pull inventory from the appropriate locations, and allows for multiple picks to be completed at one time. Additionally, it updates the status of the items so that pack confirmation, or ship confirmation transactions can occur. Depending on EnterpriseOne processing options and Order Activity Rules, Inventory can be hard committed at Pick Confirmation, Pack Confirmation, or Ship Confirmation.

The following conditions apply to the RFgen implementation for the Pick Confirmation transaction within the EnterpriseOne environment.

Note: any of these parameters may be

easily adjusted to meet the unique requirements of your company.









### ✓ Validations

Prompt	Table	Field
Plant	F41001	CIMCU
Sales Order Number	F4201	SDDOCO
Item	F4211	SDLITM
Location	F41021	LILOCN
Lot	F4108	IOLOTN
Quantity	F41021	LIPQOH

#### Edits

Condition	Table
Default Branch Plant	F40095
Quantity not greater than Quantity on Hand	F41021
Quantity entered <=0	NA

### **⊷** Function Keys

Кеу	Function
F1	Search Data for Current Field
F2	Refresh the Current Screen Display
F3	
F4	Exits Transaction

### **Considerations**

1. What EnterpriseOne version is used to process the Pick Status transaction?







- 2. What processing options are set to process Pick Confirmation (i.e. Hard Commit)?
- 3. Are different document types and line types processed through Pick Confirmation?
- 4. Does Branch default based on user?
- 5. Will negative quantities be processed?
- 6. Is lot control used for items?
- 7. Is serialization used for items?





### **EnterpriseOne Programs – Reference**

Application Name(s)	Code	Table
Sales Order	P4201	NA
Item Ledger (Cardex)	P4111	F4111

### EnterpriseOne Sales Order:P4201

		Dis A <u>b</u> o ∫L	inks 🔻 A/B Inf	🚺 OLE	٢	Internet						
De	tail Revisions	Line Defaults	<u> </u>		_							_
0	rder Number	23192	SO	00001			Branch/Plant				30	
S	old To	4242		Capital Syster	n		Order Date		6/1/200	5		
Sł	пір То	4242		Capital Syster	n		Cust PO					
C	urrency	USD	Exchange	Rate			Base		USD		Foreign	
Ø.	Quantity Ordered	loM Secondary Quantity	Secondary UoM	ltem Number	Ln Ty	Unit Price	Extended	Bran ch/ Plan	Location	Last Status	Next Status	L Nur
	20 E/	\		210	s	798.0000	15,960.00		1.A.1	540	560	







### EnterpriseOne Cardex:P4111

Select Find Close Seg New		OLE			
Item Number	210		Mountain Bike, Red		
Branch/Plant	30				
Location	1.A.1	Transact	on Date 🕴	- *	
Lot/Serial	*	Documer	t Type 📩		
Quantity On Hand	30	EA Value			
Secondary On Hand		EA			
	8/16/2005	ð			
Document Doc Number Type	Doc Transaction Co Date	Branch/ Qu Plant Qu	antity Trans VoM	Secondary Transacton Qty	Secondary Trans UoM
23192 SO (	00001 8/16/2005	30	20- EA		







#### How JD Edwards<sup>®</sup> Processing Option affects RFgen

This documentation explains which of the JDE Processing Options are used by RFgen and how the red highlighted Proc.Options effect the RFgen script.

#### **Affected RFgen Forms and Transaction Macros**

Description	Form Name	Transaction Macro Name
SO - Pick Confirm	FSOPC0100	TSOPC0100
SO - Confirmation P4205	FSOSC0100	TSOSC0100
SO - Add Freight Line	FSOAL0100	TSOAL0100

#### Setup an RFgen Menu

To implement an RFgen Form using JDE Proccessing Options in an RFgen Menu the JDE Version needs to be specified.

Enter the Form name, followed by a Space. Enter "-Vers=" and the JDE Version

Form/Menu	Description to Display
FSOPC0100 -Vers=ZJDE0001	Pick / Pack / Ship Confirm
FSOSC0100 -Vers=ZJDE0001 -OrderBy=sdlocn, sdlitm	Pick Confirm
FSOSC0100 -Vers=ZJDE0001 -OrderBy=sdlnid	Ship Confirm
SO – Add Freight Line is called from the Pick / Ship Confirm scripts regarding the JDE Processing Options.	Add Freight Line
If it has to run as a single script: FSOAL0100 -Vers=ZJDE0001	








# **Processing Options: P4205 Pick Confirmation**

< Selection>	
0001 1 1> Next Status From (Required)	> [555]
RFgen uses this value to filter on next Status (SDNXTR) Status from	
0002 1 2> Next Status Thru (Required)	> [560]
RFgen uses this value to filter on next Status (SDNXTR) Status to	
0003 1 3> Sales Order Type (Required)	> [*]
< Defaults> 0004 2 1> Line Type for New Sales Detail Lines	> [S]
Add Freight Line only: (FSOAL0100)	
This value is used as Line type (SDLNTY), when a new line is create	d.
0005 2 3> Confirmed Sales Detail Lines 0006 2 4> Additional Non-inventory Line Items Ente	> [580] > <b>[580]</b>
_	> [200]
Add Freight Line only: (FSOAL0100)	
This value is used as next Status (SDNXTR), when a new line is created	ated.
0007 2 5> Remaining Backordered Quantities	> [580]
0007 2 57 Remaining Backordered Quantities 0008 2 6> Authorized Lines	> [ ]
0009 2 7> Settled Lines	> [ ]
< Display> 0010 3 1> Allow Additional Line Entry	> [ ]
If "1" RFgen allows to call "Add Freight Line" (FSOAL0100)	
0011 3 2> Display Kit Component Lines	> [ ]
0012 3 3> Display Text Lines	> [ ]
0013 3 4> Item Location Hold Error	> [1]
0014 3 5> Pre-select Detail Lines for Confirmation	> [1]
FSOSC0100 only:	
When this Processing Option is blank the RFgen scripts enables con All details need to be confirmed; typical use is SO Picking.	firmation in a line mode.
When this Processing Option is "1" the RFgen scripts enables to cont mode. All lines will be confirmed as is. Typical use is SO Ship Confirm	
< Edits>	



© 2015 RFgen Software, A Division of the DataMAX Software Group Inc., All Rights Reserved. All other product, brand and company names and logos used are trademarks or registered trademarks of their respective owners.

10

<b>Rfgen</b> .
DISCOVER THE POWER OF FLEXIBILITY

ORACLE'
Validated Integration

JD Edwards



Validated Integration

JD Edwards World

	EnterpriseOne
0040 10 4> Certificate of Analysis Subsystem 0041 10 5> Evaluate Quality Tests	> [ ] > [ ]
< Agreements> 0042 11 1> Specify Borrow Agreement Destination 0043 11 2> OR 0044 11 3> Agreement Search Method	> [ ] > [ ] > [ ]
< Interop> 0045 12 1> Interoperability Transaction Type 0046 12 2> Run the Outbound Subsystem UBE	> [ ] > [ ]
< Bulk> 0047 13 1> Bulk Transaction Volumes	> [ ]
< InterBranc> 0048 14 1> Enter the version for the Create 0049 14 2> Call the Create Intercompany Sales Order	> [ ] > [ ]
< Prepayment> 0050 15 1> Prepayment Processing 0051 15 2> Process Authorization 0052 15 3> Process Settlement 0053 15 4> Authorize Prepayment Transaction 0054 15 5> Settle Prepayment Transaction 0055 15 6> Authorization Hold For Prepayment 0056 15 7> Settlement Hold For Prepayment < Carton Det> 0057 16 1> Shipment Confirmation Carton Status	> [ ] > [ ] > [ ] > [ ] > [ ] > [ ] > [ ]
0058 16 2> Reconcile Carton Detail to Shipment Deta	





### **Basic Test Script**

- 1. Record quantities on hand from the Item Ledger for the Branch Plants, Item Numbers and their associated lots and locations that you will perform the Pick Confirmation Issues on.
- 2. Create and document the following scenarios:
  - a. Attempt to select an item for pick confirmation that is not at the proper status. An error message should appear.
  - b. Attempt to transact on items that are not set up in particular branch plants.
  - c. Select Sales Orders eligible for Ship Confirmation and process through RFgen. Test for over shipment of items if allowed.
- 3. Review the Sales Order Table for status updates and the Item Ledger for the proper document types, transaction records, and that the quantity on hand updates the correct amounts on processed transactions.







#### **Test Script Description: SO Multi-Pick Confirmation**

#### **RFgen Input Requirements**

Before you begin testing, ensure, for the combination of branch/plant(s) and item(s) you will be testing, that the following is setup in EnterpriseOne or PeopleSoft World.

- a. Item
- b. Quantity Available
- c. Quantity On Hand
- d. An order activity status code for pick confirmation
- e. An order activity status for non-inventory line items

#### **JD Edwards Processing Option Settings**

Enter the Processing Option values, which correspond, to the version you selected for testing.

#### JDE Version: ZJDE0001\_\_\_\_\_

Tab	Processing Option Description	Value
Selection	<ul><li>a. Next Status From (Required)</li><li>b. Next Status Thru (Required)</li></ul>	
Defaults	<ul><li>a. Line Type for New Sales Detail Lines</li><li>b. Add'l Non-inventory Line Items Entered</li></ul>	
Display	a. Allow Additional Line Entry	
Edits	<ul><li>a. Check Availability</li><li>b. Ship from Negative On-hand Quantity</li><li>c. Prevent Over-shipping</li></ul>	
Process	<ul><li>a. Backorder or Cancel Unshipped Quantity</li><li>b. Relieve On Hand Inventory Override</li></ul>	







#### Validated Integration JD Edwards World

# **Execution Procedures**

ID	Test Case	Expected Result	Pass	Fail
1	Type in a valid Branch/Plant Press the ENTER key	RFGEN will validate and accept the branch/plant entered.		
2	Type in a valid Sales Order# Press the ENTER key	RFGEN will validate and accept the sales order number entered.		
3	Type in a valid Item# for the order Press the <b>ENTER</b> key	RFGEN will validate and accept the item entered		
4	Type in a valid locn for the item Press the <b>ENTER</b> key	RFGEN will validate and accept the location entered		
5	Type in a valid order qty for the item	RFGEN will validate and accept the quantity entered		
6	Type in an invalid Branch/Plant Press the <b>ENTER</b> key	RFGEN will validate the branch/plant entered and display an error message – the field will continue to error out until corrected		
7	Type in an invalid Item# for the order Press the <b>ENTER</b> key	RFGEN will validate and display an error message – the field will continue to error out until corrected		
8	Type in an invalid locn Press the <b>ENTER</b> key	RFGEN will validate and display an error message – the field will continue to error out until corrected		
9	Type in and invalid order qty for the item	RFGEN will validate and display an error message – the field will continue to error out until corrected		
10	Press the "F1" key with the cursor in the branch/plant field	RFGEN will display a list of branch/plants		
11	Press the "F1" key with the cursor in the branch/plant field to select and return a branch/plant to the branch/plant field	RFGEN will display a list of branch/plants and when selected, the branch/plant will be returned		
12	Press the "F1" key with the cursor in the item# field	RFGEN will display a list of items for the order		
13	Press the "F1" key with the cursor in the locn field	RFGEN will display a list of locations for the item		
14	Press the "F1" key with the cursor in the locn field to select and return a location to the locn field	RFGEN will display a list of locations for the item and when selected, the item will be returned		







JD Edwards



Validated Integration

JD Edwards World

DISCO	VER THE POWER OF FLEXIBILITY	JD Edwards EnterpriseOne	JD Edwards World
15	Press the "F1" key with the cursor in the item# field to select and return an item to the item# field	RFGEN will display a list of items for the order and when selected, the item will be returned	
16	If the Next Status From correctly matches the Order Activity Rules for the order/line type	RFGEN will include the order for processing	
17	If the Next Status From incorrectly matches the Order Activity Rules for the order/line type	RFGEN will not include the order for processing	
18	If the Relieve the On Hand Override processing option is set to "1"	RFGEN will not relieve on hand inventory—the order will advance to the "Next Status To" in the processing options	
19	If the Relieve the On Hand Override processing option is set to "blank"	RFGEN will relieve on hand inventory—the order will advance to the "Next Status To" in the processing options	
20	If the Additional Non-Inventory Line Items Entered is activated and the Allow Additional Line Item Entry is set to '1"	(See the "Add Freight Line" test script)	
21	If the Additional Non-Inventory Line Items Entered is deactivated and the Allow Additional Line Item Entry is set to 'blank"	(See the "Add Freight Line" test script)	
22	If the Check Availability processing option is set to "1"	RFGEN will perform availability checking and display a notification message and allow the transaction to continue	
23	If the Check Availability processing option is set to "blank"	RFGEN will perform availability checking—a notification message will not be displayed	
24	If the Ship from Negative On-Hand Quantity processing option is set to "1"	RFGEN will not allow confirmation of the detail the line	
25	If the Ship from Negative On-Hand Quantity processing option is set to "blank"	RFGEN will allow confirmation of the detail the line	
26	If the Prevent Over-Shipping processing option is set to "1"	RFGEN allows the increase in quantity of an order detail line during confirmation	
27	If the Prevent Over-Shipping processing option is set to "blank"	RFGEN disallows the increase in quantity of an order detail line during confirmation	
28	If the Backorder or Cancel Unshipped Quantity processing option is set to "1"	RFGEN will allow backorder or cancel of an unshipped quantity	

15





Validated Integration JD Edwards EnterpriseOne

ORACL Validated Integration

-

JD Edwards World

29	If the Backorder or Cancel Unshipped Quantity processing option is set to "blank"	RFGEN will disallow backorder or cancel of an unshipped quantity	
30	At the RFGEN "Enter to Accept Prompt" the transaction is added to EnterpriseOne	Confirm the pick confirmation results	

### **Overall Test Case Results**

Pass/Fail	
Tester/Date	
RE-Tester/Date	
Actual Results	

